

## P7000 SERIES

PRINTER MODELS	P7205 P7005 P7005ZT	P7210 P7010 P7010ZT	P7215 P7015 P7015ZT	P7220
Print Speed (LPM, upper case characters, lower case characters)				
High Speed	500/428	1000/856	1500/1289	2000/1700
Data Processing	375/300	750/600	1125/900	1500/1200
Near Letter Quality	200/154	400/306	600/459	800/615
Graphics Speed (IPM)				
60 x 48 dpi	63	125	187	250
60 x 72 dpi	42	83	127	167
90 x 96 dpi	21	42	61	83
Paper Feed Speed (IPS)	12	20	25	38.5
Character Pitch (char. per inch)	10, 12, 13.3, 15, 17.1, 20 (except NLO for 20 pitch)			
Line Spacing (lines per inch)	6, 8, 10.3, n/72, n/216			
Graphics Resolution	180 dpi Horizontal, 144 dpi Vertical - (max)			
Dot Size	16.7 mil (0.42mm)			
Emulations Standard	Printronix P-Series, P Series XQ, Serial Matrix, IBM ProPrinter III XL, Epson FX-1050			
Emulations Optional	PGL/VGL, ANSI 3.64, IPDS (Twinax and Ethernet), TN5250, TN3270, PCL 2, DEC LG, Twinax and Coax. Twinax - IBM 5225 Models 1, 2, 3, 4, IBM 4234 Model 2, 12, Printronix transparent mode available for special functions. Coax - IBM 3287 Models 1 and 2, IBM 4234 Model 1, Supported modes BSC, SCS/LU1, DSC, and DSE Printronix transparent mode available for special functions			
Print Attributes	Bold, italic, double wide, double high, overstrike, underline, subscript and superscript			
Resident Character Sets	Unicode UTF-8 and over 100 multinational sets including IBM World Trade, ECMA Latin 1, DEC Multinational, IBM Code Page 437 and 850, OCR A, OCR B			
Fonts	NLQ Serif, NLQ Sans Serif, Data Processing, High Speed, OCR A, OCR B			
Resident Bar Codes	30 resident symbologies, including Code 39, EAN 8/13, UPC A/E, Postnet, Royal Mail, Interleaved 2 of 5, and PDF 417			

## P7000HD SERIES

PRINTER MODELS	P7000HD P7000HDZT P7200HD
Print Speed	
180 x 180	79" (2007mm) per minute*
120 x 120	165" (4191mm) per minute*
90 x 180	147" (3734mm) per minute*
90 x 120	200" (5080mm) per minute*
90 x 90	236" (5994mm) per minute*
* Specification is based on 25% vertical page density, meaning print image exists on 25% of the available vertical dot rows, if the vertical coverage is higher or lower, the speed will decrease or increase proportionately, the width of the image has no effect on print speed.	
Paper Feed Speed	32" (813mm) per second
Graphics Resolution	180 x 180 dpi - maximum - default 90 x 90 dpi - minimum
Dot Size	11 mil (0.28 mm)
Print Attributes	Full graphics capability to accurately reproduce TrueType™ fonts down to 6 point, along with lines, logos, limited gray scale shading and bar codes.
System Connectivity	Windows Drivers 95/98/NT/2000/XP All printing is done via Windows drivers, this will allow for seamless printing of PDF documents and other popular Windows-based applications; in most cases, a P7000HD can be used in place of a typical Windows connected laser printer with no modifications to your application.



P7000 LINE MATRIX PRINTERS



### GENUINE PRINTRONIX SUPPLIES

Choosing the right supplies is critical for life of the printer, print quality, image durability and total cost of operation. Protect your investment with Genuine Printronix Supplies.



Southern Europe, Iberia, Middle East and Africa -  
**PRINTRONIX France Sarl**  
8, Rue Parmentier, F-92800 Puteaux, France  
Tel: +33 (0) 1 46 25 19 00

Central Europe & South Africa -  
**PRINTRONIX Deutschland GmbH**  
Goethering 56, D-63067 Offenbach, Germany  
Tel: +49 (0) 69 82 97 06 0

Russia and C.I.S. - **PRINTRONIX Inc,**  
**Moscow Representative Office**  
Balakirevsky per., 19, office 106,  
105082 Moscow, Russian Federation  
Tel: +7 (495) 737 9387

Northern Europe - **PRINTRONIX UK Ltd**  
Forth House, 4 Brants Bridge, Bracknell,  
Berkshire RG12 9BG, UK  
Tel: +44 (0) 1344 869666

Eastern Europe - **PRINTRONIX Österreich GmbH**  
Schönbrunner Schlossstraße 5,  
A-1120 Wien, Austria  
Tel: +43 (0) 1 810 39 60

Customer Support Centre EMEA,  
**PRINTRONIX Netherlands BV**  
Nieuweweg 283, P.O. Box 163,  
NL-6600 AD Wijchen, Netherlands  
Tel: +31 (0) 24 64 89 489

For further information about our products and services, please visit our website at:  
[www.printronix.com](http://www.printronix.com)

For sales enquiries, please email:  
[emeasales@printronix.com](mailto:emeasales@printronix.com)

For technical support, please email:  
[emeasupport@printronix.com](mailto:emeasupport@printronix.com)

P7000  
LINE MATRIX PLATFORM  
*leadership by design*

# PRINTRONIX®

## LINE MATRIX PLATFORM

*leadership by design*

Printronix has been the global leader in industrial printing solutions for over 30 years, earning a reputation for designing and manufacturing leading edge products and delivering them to market with unsurpassed service and support.

The Printronix P7000™ Line Matrix Printing Platform extends the series of technology innovations that cement Printronix *leadership by design* position. Line matrix printing is Printronix flagship technology, and it remains the workhorse solution for supply-chain and back-office printing applications because of its reliability, lower cost of ownership and flexibility of printing applications.

SCALABLE • INNOVATIVE • BEST OF BREED • BUILT FOR CHANGE

#### SCALABLE

Designed to meet your printing demands today and adapt to match your future printing requirements. Your investment will be protected with Printronix upgrades to support emerging standards and innovations.

#### INNOVATIVE

Printronix invented line matrix printing and maintains a reputation as a technology leader in the printing industry, with innovative solutions to real-world challenges.

#### BEST OF BREED

Printronix line matrix printers set the standard in the industry. The P7000 line matrix platform features the lowest service cost, least expensive cost per printed page, easiest user experience and longest-lasting ribbon available.

#### BUILT FOR CHANGE

By design, this framework has produced the best line matrix printer in Printronix history. The P7000 platform is even more reliable, and is future-proof. Because of its scalability, the P7000 could be the longest-lasting printer any organization will ever own.



#### RUGGED, COST EFFECTIVE AND VERSATILE

The P7000 offers unsurpassed reliability. When your application cannot be interrupted, look to the P7000 for maximum productivity.

For cost control, this technology provides the edge needed, giving you the lowest cost per page output.

It handles specialized forms that work for your application – forms that can only be printed on a line matrix printer – information reports, multi-part transaction documents and bar code labels.


#### ENHANCED RELIABILITY

No other print technology delivers more trouble free high volume printing than a Printronix line matrix printer. Every generation of our printers has delivered higher quality and more reliability than its predecessor. Now the P7000 Series, with a wide range of design enhancements, carries the tradition forward delivering the most reliable Printronix printer ever. The result is more uptime, more mission critical dependability and lower service and operating costs.

#### P7000 FAMILY INTRODUCES

- **Enhanced reliability** – provides more up time and lower operating costs
- **Ultra capacity ribbons** – deliver darker image, last longer, and cost less
- **Integrated print management system** – provides precise control over print quality, print costs, and job planning
- **Redesigned pedestal** – improves user access and forms handling flexibility
- **Increased ease of use** – simplifies operation and enhances productivity

### Printronix pioneers three decades of leadership by design





P7000

P5000

Special formulation and larger capacity spool delivers higher performance and lower cost



Plan print jobs with precise ribbon life indicated on panel

#### ULTRA CAPACITY RIBBONS\*

*Leadership by design* also extends to our consumables. Customers turn to line matrix to get the lowest cost printing of any technology. Typically **10 times less expensive than laser or serial matrix**, Printronix line matrix delivers significant cost savings in all high volume applications. To extend this benefit even further, Printronix has made significant investments in the design and testing of new fabrics, ink formulations, and ribbon construction. The highlight of these investments is a breakthrough ribbon that is at the heart of the P7000 family. Suitable for both text and bar code applications, the P7000 Ultra Capacity ribbon starts 20% darker and lasts **3X longer** than our most popular 30 million character ribbons. With a 90 million character rated life, the number of user interventions are dramatically reduced. In addition to the labor savings from reduced consumable handling, the efficiency of this design results in an even **lower cost per page**.

#### INTEGRATED PRINT MANAGEMENT SYSTEM

This system is designed to constantly monitor print quality - eliminating waste, maximizing ribbon life and reducing printing costs. Printronix has built in the intelligence and auto-sensing capabilities that provide visibility and control without any user set-up.

This allows the system administrator to have precise control over print quality, consumable costs, and job planning. Add in PrintNet® Enterprise and the visibility and control, along with instant e-mail alerts, comes right to your desktop - ideal for enterprise management of printing applications.

\* Patent Pending



#### IMPROVED PEDESTAL DESIGN

The pedestal model has been completely redesigned for the P7000 Series.

- The clamshell design allows easy access to all controls, providing faster ribbon replacements and easier paper loading
- Interior room has been expanded to accommodate the P7000 Ultra Capacity ribbons, creating a 3X increase in ribbon capacity over previous pedestal models
- Standard oversized casters make movement easier than ever
- Versatility has also been enhanced with the ability for the paper path to be configured for either top or rear exit
- Using the top paper exit along with newly refined eject key functionality this printer is ideal for short print runs and easy access to output



Rear feed



Top feed

Easy access clamshell design

#### ENCLOSED CABINET

The enclosed cabinet models provide for near silent operation, making these printers perfectly suitable for use in the quietest of office environments. In addition, these models provide the best paper handling for large print runs. All input paper is sealed inside and protected from bumping and contamination. Even more importantly, an elegantly simple, but highly effective combination of moveable fences and chains allows for neat stacking all the way up to a full box of paper. For tougher forms that tend not to refold well, a SureStak power stacker option is available for the enclosed cabinet models. With this option, even the toughest forms can be printed and stacked neatly up to a full box. So, in either configuration, the enclosed cabinet models are your best choice for large unattended production printing applications.

Enclosed cabinet design



**INCREASED EASE OF USE**

In creating the next generation of line printers, customer feedback was used to identify enhancements that would simplify operation, enhance the user experience and boost productivity.

- The ribbon spool and hub have been redesigned to be fully self aligning and to snap on and off with ease
- All user adjustment and control points are blue for fast operator identification
- The control panel is color coded, with faster reacting keys
- A Quick Setup menu simplifies and groups the most common setup parameters into one easily modified section
- Automatic configuration saving prevents settings from accidentally being lost or reset
- The platen gap adjustment system has been redesigned to separate the functions of opening/closing the platen and setting the gap. The gap is now set by a knob to match the form's characteristics, and once set, the platen can be opened and closed without affecting the gap setting, simplifying the loading of ribbons and forms



*Platen adjustment feature*

**ASSET PROTECTION**

Today's IT environment is changing faster than ever and it is impossible to tell what is going to be required of your IT assets in the future. This is why a new PSA<sup>3</sup> controller with expanded memory and capabilities was developed especially for the P7000. Just as the P5000 was able to grow with a changing IT environment for nine fast-paced years, the P7000's new PSA3 controller provides all the base foundation and necessary room to grow with the next generation of changes. So, whether your needs evolve to new data streams or expanded wireless options, your investment will be protected with the P7000.

**CONNECTIVITY AND COMPATIBILITY**

The P7000 provides the most connectivity and emulation options available on any impact printer. Mix and match between wired Ethernet, wireless Ethernet, parallel, serial, Coax and Twinax. Couple this flexibility with automatic port switching and you can easily connect your new line matrix printer to multiple systems. Often this is an ideal solution for environments migrating between hosts. Available emulations include P-Series, PGL, VGL (Code-V), DEC LG, PCL 2, ANSI, IPDS, CT, and the most common serial matrix languages. What is most important about all of these emulations and connectivity options is seamless compatibility. By design and through rigorous testing, the P7000 is able to seamlessly replace any previous Printronix line matrix printer and virtually any competing legacy impact product.

**FLEXIBLE AND ADAPTABLE**

Understanding that often a simple modification to the application is just not possible, all P7000 printers come standard with the ability to intercept and modify a data stream before printing. Any changes can be corrected or modified to create the desired output without any costly host application modification.

**ETHERNET WITH JOB CONTROL**

There is a large installed base of Coax and Twinax connected line printers. Traditionally, migrating away from Twinax or Coax to Ethernet eliminated the costly and inflexible infrastructure, but also eliminated the valuable job control. Now, with TN3270, TN5250, or the latest IPDS, the choice between cost/flexibility and control is eliminated. Using these new options, you can migrate to Ethernet printing and still maintain all the job control these mission critical applications require.

**PRINTNET ENTERPRISE**

Successful organizations are flexible enough to meet new requirements in a changing marketplace. PrintNet Enterprise provides this flexibility by placing total control of worldwide print operations in your IT network manager's hands. By combining a fully integrated Ethernet adapter and Java-based remote management software, this remote printer management tool provides:



- **Increased IT resource efficiency** – Centrally manage, organise and control Printronix printers remotely on a LAN/WAN and remotely control, configure, manage and monitor printers over the network
- **Reduced downtime costs** – Maximise printer uptime by instant response to printer issues from email, pager or cell phone alerts
- **Maximised security** – Utilize PrintNet Enterprise remote front panel emulation to change, secure and protect printer configurations by locking out unauthorized users
- **Complete compatibility** – Designed for upward compatibility to support and manage the entire Printronix family of future printers in a fast expanding network. These printers are fully compatible with existing Printronix line matrix, thermal bar code and fanfold printing solutions that frequently operate in the same enterprise network.



**P7000ZT SERIES**

The P7000ZT Series incorporates the industry leading features of the P7000 pedestal model printers - clamshell design, Ultra Capacity consumables and Integrated Print Management. Unique to the P7000ZT Series is the special push tractor configuration. **This system enables printing from the very first to the very last line of a form and then tear off with no loss.**

The P7000ZT is ideal for applications requiring precise accounting of all forms or where forms are too expensive to waste. When each form is torn off and used individually, the elimination of waste between sheets can yield significant savings in consumables.

**COST SAVINGS AND RELIABILITY**

Dot matrix impact or laser printers are often used for applications requiring zero form loss. However, as print volume and mission criticality increases, the economic viability of these printers rapidly diminishes. In contrast, the P7000ZT Series, using the Ultra Capacity ribbon, typically delivers a 10x consumable cost advantage. More importantly, the robustness of P7000ZT sixth generation line matrix technology helps avoid the highest cost of all in mission critical printing – lost production due to downtime. This combination of high reliability and low operating cost makes the P7000 Line Matrix Platform the ideal solution for supply-chain and back-office applications.

**PAPER HANDLING EASE**

The smart paper system automatically ejects the paper for tear off after the page or job is printed, and then retracts it as soon as the next job is sent. Or, at any time, you can use the Eject key to present or return forms as necessary for tear off.



*Push tractor system eliminates forms loss*



*P7000ZT*

**HIGH DEFINITION PRINTING WITH P7000HD SERIES**

The high reliability and low total-cost-of-printing offered by Printronix line matrix printers continue to make them the best choice for many critical applications. The P7000HD Series - cabinet, pedestal and zero tear models - extends the reach of this technology even further.

As existing line matrix applications are updated or migrated to new systems, and/or new applications are required, the traditional method of hard coding to a specific printer is no longer practical. Instead, users are leveraging widely available Windows-based tools to take advantage of a vast array of font styles, sizes and graphics.

The P7000HD provides the capability to plug line matrix printing straight into a Windows environment without any application modifications or other special accommodations.

**PRINT CAPABILITIES**

The P7000HD series incorporate special fine tip technology to produce high definition printing for items such as proportional spacing, complex fonts, logos, PDF files and small font sizes. Print jobs look just as they are intended and at a fraction of the cost of laser. Users can also design the output to match requirements without worrying about any limitations of the printer. All of this is driven by the proven PSA3 controller and supported by Printronix's leading integrated print management tools.

**PRINT QUALITY**

The nominal print density for the P7000HD series is 180 x 180 dots per inch (DPI). Alternately, 180 x 120 and 120 x 120 DPI modes are available for applications where the emphasis is more on speed rather than image detail. Whichever model you choose, the Printronix P7000HD has the power to print graphics and complex forms with sharper quality than any other impact printer technology available.



*High definition shuttle design*



*Sharp image quality*

**ULTRA CAPACITY HD RIBBONS**

A special High Definition formulation of Ultra Capacity ribbon was developed for the P7000HD Series to handle the unique challenges of high detail fine point printing. Like the standard Ultra Capacity ribbon, this new formulation delivers a sharper, darker image for a greatly extended life. The result is reduced user intervention, improved print quality and the best cost per page. And, like all P7000 ribbons, they are fully supported by the Integrated Print Management system.



**P7000 OPTIONS**

A wide variety of paper handling options are available for the P7000 to help maximize performance in all applications.



- **Front Tray** – For applications that demand mobility, a front paper shelf allows the source paper to move with the printer. Also, raising the paper off the floor helps protect the media from damage. This shelf is strong enough and low enough to support a full box of paper.



- **Low Rear Tray** – This output tray is ideal for large print runs. An adjustable back bar keeps the paper aligned and neat even when stacking large quantities.



- **High Rear Tray** – This tray is ideal for applications where the printer is placed up against a wall and output stacks are limited to short runs. Since the tray is located near the top of the printer, access from the front is easy.



- **SureStak Power Stacker** – Some forms that do not re-fold well or tend to fluff up during printing may not stack properly with the passive stacking aids found in the standard quiet cabinet models. For these applications, a SureStak power stacker option is available. This device actually pulls the printed paper over the top of the print path and pushes it down into the stacking area. There, a series of paddle wheels actually re-fold the forms tightly, so even the toughest forms can be printed and stacked neatly up to a full box.



- **Front Paper Access** – This innovative option allows you to load paper and retrieve output from the front of the printer. This dramatically reduces the space required by the printer, since the rear can now be pushed into a corner or up against the wall (a minimum clearance of 4" must remain for the top cover to open). The adjustable front shelf allows you to select the correct balance between size of source stack and size of stack that can be retrieved from the rear.



- **Acoustic Shroud** – This assembly mutes the sound emanating from the paper exit slot to quiet the printer by a significant 4 dBA. This is an ideal solution for any pedestal printer operating near people trying to work. The shroud features a self-guiding paper path and easy tilt-away design for ready access to the media.



- **Extended Forms Support** – Quiet cabinet models cannot be quiet if forms are too large to allow the doors to shut. To solve this problem, the P7000 can be equipped with optional extended doors. Kits are available with one or two extended doors to fit your application. A single extended door will support forms up to 14" in length. Two doors will allow up to 17" long forms to fit inside with all door closed.

**LINE MATRIX PRINTERS**

**GENUINE PRINTRONIX RIBBONS – P7000**

Ultra Capacity	Darkest longest lasting ribbon for bar code, OCR and text applications – 90 million character capacity
Label	For applications using shiny or coated label face stocks – 65 million character capacity

**GENUINE PRINTRONIX RIBBONS – P7000HD SERIES**

Ultra Capacity HD	Special formulation for dark long life printing of High Definition complex characters and graphics - 60 million character capacity
-------------------	--

**FORMS HANDLING – P7000 AND P7000HD SERIES**

Type	Continuous, fan folded, edge-perforation
Paper Path	Straight through paper path with easy-load dual adjustable tractors
Feed	Bottom feed
Forms Control	14 and 12 channel electronic vertical format unit, paper-out detector and alarm, paper motion detector and alarm
Print Width	13.6" (345mm)

**MEDIA TYPES – P7000ZT AND P7000HDZT SERIES**

Form Thickness	Maximum 0.64mm Minimum as defined below
Form Length	3" (76mm) to 12" (305mm)
Form Width	6" (152mm) minimum (maximum is a function of paper types) 12" (305mm) maximum 17" (432mm) maximum
Carbon Multipart	4 copies maximum 3 copies maximum
Carbonless Multipart	6 copies maximum 4 copies maximum
Single Part	67.7grams/m <sup>2</sup> min. 75.2 grams/m <sup>2</sup> min.

Note: The forms guidelines above must be followed closely, these models push the paper and will not work if the form is very light weight or has other special features which make feeding difficult. If your form is questionable, it is best to send a sample to your dealer for review prior to purchasing a unit.

**MEDIA TYPES – P7000 AND P7000HD SERIES**

Form Thickness	Maximum 0.64mm
Form Width	3" (76mm) to 17" (432mm)
Copies	P7000 - Up to 6 parts P7000HD – Up to 4 parts
Paper Weight	56 grams/m <sup>2</sup> minimum, 163 grams/m <sup>2</sup> maximum

**MTBF**

Hours at 25% duty cycle & 25% page density  
P7000HD, P7200HD, P7000HDZT, P7220 – 8,000 hours  
All other models – 10,000 hours

**PRINTER FEATURES**

Standard	Integrated print management automatic ribbon life monitor
Optional	SureStak on P7210, P7215 and P7220
Optional	Extended doors for 14" (356mm) and 17" (432mm) forms support
Optional	Black back forms paper out sensor
Optional	Slide out paper tray for easy loading and unloading
Optional	Cabinet front access/load/retrieval
Optional	Pedestal front paper tray
Optional	Pedestal high rear paper tray
Optional	Pedestal acoustic shroud

**INTERFACES**

Serial	RS-232 (RS-422 optional)
Parallel	IEEE-1284/Centronics (standard) Data Products (optional) PrintNet Enterprise 10/100 Base T (optional) PrintNet Enterprise 802.11b (optional)
Ethernet	Integrated Twinax interface for attachment to IBM Systems 36/38 and AS/400 directly or via IBM 5394 or 5494 workstation controller (optional – except P7000HD Series)
Wireless	Integrated Coax interface for attachment to IBM 3174, 3274, or 3276 cluster controller (optional – except P7000HD Series)
Twinax	Between active ports
Coax	
Auto Switching	

**P7000 & P7000HD SERIES**

the following specs are for both the P7000 Series and the P7000HD Series • series specific specs continue on back page

**PRINTER SOFTWARE AND DRIVERS**

Printronic PrintNet Enterprise remote management software  
SAP Device Types  
Windows 95/98/NT/2000/XP

POWER	P7205 P7005 P7005ZT	P7210 P7010 P7010ZT	P7215 P7015 P7015ZT	P7220 P7000HD P7200HD P7000HDZT
Watts Typical	175	260	390	475
Line (+/- 10%)	Auto Ranging 100-120 VAC, 200-240 VAC, 50/60 Hz			
Compliance	Energy Star - Less than 28 watts (energy saving mode)			

DIMENSIONS	PEDESTAL	ZT
Height	36" (914mm)	42.5" (1080mm)
Width	26" (660mm)	26" (660mm)
Depth	21.2" (538mm)	21.2" (538mm)
Shipping Weight	170 lbs. (77.2kg)	176lbs. (79.8kg)

DIMENSIONS	CABINET	SURESTAK
Height	41" (1041mm)	41" (1041mm)
Width	27" (686mm)	27" (686mm)
Depth	29" (737mm)	33.75" (857mm)
Shipping Weight	275lbs. (124.8kg)	305lbs. (138.5kg)

ENVIRONMENTAL	P7005 - 62	P7205ZT - 66	P7205 - 50
Acoustic Noise - dBA (per ISO 7779)	P7010 - 65	P7010ZT - 70	P7210 - 50
	P7015 - 68	P7015ZT - 70	P7215 - 52
	P7000HD - 68	P7000HDZT - 70	P7220 - 55
			P7200HD - 55
Operating Temperature	50° to 104° F 10° to 40° C		